

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
18 August 2005 (18.08.2005)

PCT

(10) International Publication Number
WO 2005/076413 A1

(51) International Patent Classification⁷: **H01R 12/20**,
24/04

(74) Agent: **KAMPFENKEL, Klaus**; Blumbach Zinngrebe,
Alexandrastrasse 5, 65187 Wiesbaden (DE).

(21) International Application Number:
PCT/EP2005/000703

(22) International Filing Date: 25 January 2005 (25.01.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
20 2004 001 202.2 28 January 2004 (28.01.2004) DE

(71) Applicant (for all designated States except US): **MOLEX
INCORPORATED** [US/US]; 2222 Wellington Court,
Lisle, IL 60532 (US).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **STEINKE, Stephan**
[DE/DE]; Hackstrasse 5, 74336 Brackenheim (DE). **FIL-
IPON, Sven** [DE/DE]; Böllingerstrasse. 5/2, 74078 Heil-
bronn (DE). **HERRMANN, Wolfgang** [DE/DE]; Schnee-
wittchenstrasse 18, 81739 München (DE). **HARTMANN,
Michael** [DE/DE]; Ulmenweg 4, 74861 Neudenau (DE).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: **MODULAR JACK CONNECTOR SYSTEM**



(57) Abstract: Modular electrical jack connector system comprising at least one jack connector housing and at least one therein inserted jack connector subassembly wherein each jack connector housing comprises a front coupling side having at least two openings which openings are disposed one above the other to receive a variety of electrical plug connectors through the front coupling side and an oppositely disposed rear side for insertion of at least one jack connector subassembly wherein further each jack connector subassembly comprises a longitudinal strip-like carrier having a substantially right-angled profile and further on the upper side and on the lower side respectively a series of extrusion-coated or injection-molded jack terminals which at a front end of the strip-like carrier form uncoated, bent-back cantilevered contact portions.

WO 2005/076413 A1

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
18 August 2005 (18.08.2005)

PCT

(10) International Publication Number
WO 2005/076413 A1

(51) International Patent Classification⁷: **H01R 12/20**,
24/04

(74) Agent: **KAMPFENKEL, Klaus**; Blumbach Zinngrebe,
Alexandrastrasse 5, 65187 Wiesbaden (DE).

(21) International Application Number:
PCT/EP2005/000703

(22) International Filing Date: 25 January 2005 (25.01.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
20 2004 001 202.2 28 January 2004 (28.01.2004) DE

(71) Applicant (for all designated States except US): **MOLEX
INCORPORATED** [US/US]; 2222 Wellington Court,
Lisle, IL 60532 (US).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **STEINKE, Stephan**
[DE/DE]; Hackstrasse 5, 74336 Brackenheim (DE). **FIL-
IPON, Sven** [DE/DE]; Böllingerstrasse. 5/2, 74078 Heil-
bronn (DE). **HERRMANN, Wolfgang** [DE/DE]; Schnee-
wittchenstrasse 18, 81739 München (DE). **HARTMANN,
Michael** [DE/DE]; Ulmenweg 4, 74861 Neudenau (DE).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: MODULAR JACK CONNECTOR SYSTEM



(57) Abstract: Modular electrical jack connector system comprising at least one jack connector housing and at least one therein inserted jack connector subassembly wherein each jack connector housing comprises a front coupling side having at least two openings which openings are disposed one above the other to receive a variety of electrical plug connectors through the front coupling side and an oppositely disposed rear side for insertion of at least one jack connector subassembly wherein further each jack connector subassembly comprises a longitudinal strip-like carrier having a substantially right-angled profile and further on the upper side and on the lower side respectively a series of extrusion-coated or injection-molded jack terminals which at a front end of the strip-like carrier form uncoated, bent-back cantilevered contact portions.



Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.